

ORDINANCE NO. 11145 OCT 18 1973
(New Series)

AN ORDINANCE AMENDING CHAPTER IX, ARTICLE 3,
DIVISION 1 OF THE SAN DIEGO MUNICIPAL CODE
BY ADDING SECTION 93.00.1007, SECTION 1007(d)
OF THE UNIFORM PLUMBING CODE, RELATING TO
PRESSURE RELIEF VALVES ON NEW WATER HEATERS.

WHEREAS, experience has been that water heater valves set to open at 125 psi pressure tend to open too frequently because of normal pressure surges and pressure increases from heating when the water system in the building includes a pressure regulator valve, causing owners to remove the valve which leaves the system without any excessive pressure protection; and

WHEREAS, the Plumbing, Heating, Cooling Contractors Association, as well as the Construction Industry Coordinating Council have recommended an amendment to Section 1007(d) of the 1970 Uniform Plumbing Code, adopted by City Ordinance No. 10903 (New Series); and

WHEREAS, the Board of Appeals and Advisors recommended amendment of said section at its meeting of April 11, 1973; and

WHEREAS, the Council of The City of San Diego finds that modification of Section 1007(d) of the 1970 Uniform Plumbing Code is needed, said finding being required by Section 17958.7 of the California Health and Safety Code;
NOW, THEREFORE,

MICROFILMED
MAY 2 1978

00233

BE IT ORDAINED, by the Council of The City of San Diego,
as follows:

Section 1. That Chapter IX, Article 3, Division 1 of
the San Diego Municipal Code be and it is hereby amended
by adding Section 93.00.1007, Section 1007(d) of the Uniform
Plumbing Code, to read as follows:

SEC. 93.00.1007 SECTION 1007 OF THE UNIFORM
 PLUMBING CODE - REVISED

Section 1007(d) Each pressure relief valve
shall be an approved automatic type with drain,
each such relief valve shall be set at a pressure
of not more than one hundred fifty (150) pounds
per square inch.

Section 2. This ordinance shall take effect and be
in force on the thirtieth day from and after its passage.

APPROVED: JOHN W. WITT, City Attorney

By Jane S. Wiegand
Jane S. Wiegand, Deputy

rp/9-26-73

11145
MICROFILMED

MAY 2 1978

00234

OCT 18 1973

Passed and adopted by the Council of The City of San Diego on _____
by the following vote:

RECEIVED
CITY CLERK'S OFFICE
1973 SEP 28 AM 11:20
SAN DIEGO, CALIF.

Councilmen	Yeas	Nays	Excused	Absent
Gil Johnson	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Maureen F. O'Connor	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Henry L. Landt	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Leon L. Williams	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Floyd L. Morrow	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Bob Martinet	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Allen Hitch	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Jim Bates	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mayor Pete Wilson	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

AUTHENTICATED BY:

PETE WILSON
Mayor of The City of San Diego, California.

EDWARD NIELSEN
City Clerk of The City of San Diego, California.

(Seal)

By _____
Helena J. Ingram, Deputy.

I HEREBY CERTIFY that the foregoing ordinance was not finally passed until twelve calendar days had elapsed between the day of its introduction and the day of its final passage, to wit, on

OCT 4 1973

_____, and on OCT 18 1973

~~I FURTHER CERTIFY that said ordinance was read in full prior to its final passage.~~

I FURTHER CERTIFY that the reading of said ordinance in full was dispensed with by a vote of not less than a majority of the members elected to the Council, and that there was available for the consideration of each member of the Council and the public prior to the day of its passage a written or printed copy of said ordinance.

EDWARD NIELSEN
City Clerk of The City of San Diego, California.

(Seal)

By _____
Helena J. Ingram, Deputy.

MICROFILMED
MAY 2 1978

Office of the City Clerk, San Diego, California		
Ordinance Number	11145	Adopted OCT 18 1973

RECEIVED
CITY CLERK'S OFFICE

1973 NOV -1 PM 5:00

SAN DIEGO, CALIF.

ATTORNEY (S)

CITY OF SAN DIEGO
202 "C" Street
12th Floor
San Diego, California

CERTIFICATE OF PUBLICATION

No.

IN THE MATTER OF

PRESSURE RELIEF VALVES ON NEW WATER
HEATERS

NOV 1 1973 *LB*

I, Patricia M. Apolestill hereby certify that San Diego Daily Transcript is a daily newspaper of general circulation within the provisions of the Government Code of the State of California, printed and published in the City of San Diego, County of San Diego, State of California; that I am the principal clerk of said newspaper; that the


ORDINANCE NO. 11145 (NEW SERIES)

is a true and correct copy of which this certificate is annexed and was published in said newspaper on

October 26, 1973

I certify under penalty of perjury that the foregoing is true and correct, at San Diego, California, on

October 29, 1973


(Signature)

L-10-SM-673

C0236

8 4/8 @ \$4.42 \$37.57 *lb*

(New Section)

AMENDING CHAPTER IX, ARTICLE 3, DIVISION 1
OF THE SAN DIEGO MUNICIPAL CODE BY ADDING SECTION
93.00.1007(d) OF THE UNIFORM PLUMBING CODE
RELATING TO PRESSURE RELIEF VALVE ON NEW WATER
SYSTEMS.

WHEREAS, experience has been that water heater valves set to open
at 20 psi pressure tend to open too frequently because of normal pressure
spikes and pressure increases from heating when the water systems in
building includes a pressure regulator valve, causing owners to remove
valve which leaves the system without any excessive pressure protection

and
WHEREAS, the Plumbing, Heating, Cooling Contractors Association,
as well as the Construction Industry Coordinating Council have recom-
mended an amendment to Section 1007(d) of the 1970 Uniform Plumbing
Code adopted by City Ordinance No. 10803 (New Series); and

WHEREAS, the Board of Appeals and Advisors recommended amend-
ment of said section at its meeting of April 11, 1973; and

WHEREAS, the Council of The City of San Diego finds that modifica-
tion of Section 1007(d) of the 1970 Uniform Plumbing Code is needed, said
finding being required by Section 17955.7 of the California Health and
Safety Code; NOW, THEREFORE,

BE IT ORDAINED, by the Council of The City of San Diego, as
follows:

Section 1. That Chapter IX, Article 3, Division 1 of the San Diego
Municipal Code be and it is hereby amended by adding Section 93.00.1007,
Section 1007(d) of the Uniform Plumbing Code, to read as follows:

SEC. 93.00.1007 SECTION 1007 OF THE UNIFORM
PLUMBING CODE—REVISED

Section 1007(d). Each pressure relief valve shall be an approved
automatic type with drain, each such relief valve shall be set at a
pressure of not more than one hundred fifty (150) pounds per square
inch.

Section 2. This ordinance shall take effect and be in force on the
thirtieth day from and after its passage.

Introduced on October 4, 1973.

Passed and adopted by the Council of The City of San Diego on
October 18, 1973.

AUTHENTICATED BY:
PETE WILSON
Mayor of The City of San Diego, California.
EDWARD NEELSEN
City Clerk of The City of San Diego, California.
By LA VERNE E. MILLER, Deputy.

Published October 18, 1973

C0237