MAR 3 1 1980

RESOLUTION CALLING A PUBLIC HEARING TO DETERMINE WHETHER THE PUBLIC HEALTH, SAFETY OR GENERAL WELFARE REQUIRES THE FORMATION OF AN UNDERGROUND UTILITY DISTRICT TO BE KNOWN AND DENOMINATED AS THE 69 KV TRANSMISSION LINE WITHIN THE ATCHESON, TOPEKA AND SANTA FE AND SAN DIEGO ARIZONA EASTERN RAILROAD RIGHT-OF-WAY (BETWEEN "E" STREET AND SIXTH AVENUE, AND ON "K" STREET BETWEEN THIRD AVENUE AND SIXTH AVENUE) UNDERGROUND UTILITY DISTRICT.

WHEREAS, Chapter VI, Article 1, Division 5 of the San Diego Municipal Code establishes a procedure for the creation of underground utility districts and requires as an initial step in such procedure the holding of a public hearing to determine whether the public health, safety or general welfare requires removal of poles, overhead wires and associated overhead structures and the underground installation of wires and facilities for supplying electric, communication, community antenna television or similar or associated service in any such district; and

WHEREAS, it has been recommended that such an underground utility district, hereinafter called "the District," be formed as more particularly shown on Drawing No. 19085-D entitled "69 KV TRANSMISSION LINE WITHIN THE ATCHESON, TOPEKA AND SANTA FE AND SAN DIEGO ARIZONA EASTERN RAILROAD RIGHT-OF-WAY (between "E" Street and Sixth Avenue, and on "K" Street between Third Avenue and Sixth Avenue) UNDERGROUND UTILITY DISTRICT," copies of which are on file in the office of the City Clerk as Document No. RR- 251439; and

WHEREAS, this action is exempt from the provisions of the California Environmental Quality Act of 1970 under City guidelines for implementation of said Act, as amended; NOW, THEREFORE,

BE IT RESOLVED, by the Council of The City of San Diego, as follows:

- 1. Notice is hereby given that a public hearing will be held by the Council of The City of San Diego on Arpil 15, 1980 at the hour of 2:00 p.m. in the Council Chambers of the City Administration Building, 202 C Street, San Diego, California, to determine whether the public health, safety or general welfare requires the removal of poles, overhead wires and associated overhead structures and the underground installation of wires and facilities for supplying electric, communication, community antenna television or similar or associated service in the District described above.
- 2. At such hearing all persons interested shall be given an opportunity to be heard and said hearing may be continued from time to time as may be determined by the City Council. decision of the City Council as to the formation of the District as described above shall be final and conclusive.
- The City Clerk shall notify all affected persons as defined in Chapter VI, Article 1, Division 5 of the San Diego Municipal Code and each utility company concerned of the time and place of the hearing by following the procedure set forth in Chapter VI, Article 1, Division 5 of the San Diego Municipal Code.

JOHN W. WITT, City Attorney APPROVED:

Deputy City Attorney

JSG: v1:460 3/12/80

Or. Dept.: Eng. & Dev.

d and adopted by the Cour	ncil of The City of San	Diego on	MAR 3 1 1980
following vote:	• .v		
Councilmen	Yeas	Nays	Not Present Ineligible
Bill Mitchell			
Bill Cleator			
Bill Lowery			
Leon L. Williams			
Fred Schnaubelt			
Mike Gotch			
Larry Stirling	<b>Y</b>		
Lucy Killea			
Mayor Pete Wilson	<b>9</b>		
AUTH	IENTICATED BY:		
			PETE WILSON
		Mayor of	The City of San Diego, California.
)	• .		RLES G. ABDELNOUR
	•••••		of The City of San Diego, California.
		2	. 0.
	Ву.	Dark	asa Derudge
•			
			•
			·
	Offic	e of the City (	Clerk, San Diego, California

CC-1276 (REV. 11-79)

RECEIVED CITY CLERK'S OFFICE 1980 NAR 18 PM 3: 49 SAN DIEGO, CALIF.

1/2