(R-87-1345)

RESOLUTION NUMBER R- 267531

ADOPTED ON JAN 26 1987

RESOLUTION CALLING A PUBLIC HEARING TO DETERMINE WHETHER THE PUBLIC HEALTH, SAFETY OR GENERAL WELFARE REQUIRES AN AMENDMENT TO THE UNDERGROUND UTILITY DISTRICT TO BE KNOWN AND DENOMINATED AS THE FOURTH AVENUE (LAUREL STREET TO WALNUT AVENUE) UNDERGROUND UTILITY DISTRICT.

WHEREAS, Chapter VI, Article 1, Division 5 of the San Diego Municipal Code establishes a procedure for the creation of underground utility districts and requires as an initial step in such procedure the holding of a public hearing to determine whether the public health, safety or general welfare requires removal of poles, overhead wires and associated structures and the underground installation of wires and facilities for supplying electric, communication, community antenna television or similar or associated service in any such district; and

WHEREAS, an underground utility district, hereinafter called "the District," has been formed as more particularly shown on Drawing No. 22435-D entitled "FOURTH AVENUE (LAUREL STREET TO WALNUT AVENUE) UNDERGROUND UTILITY DISTRICT," copies of which are on file in the office of the City Clerk as Document No.

RR- 264510 ; and

WHEREAS, the City desires to amend the boundaries of the Fourth Avenue (Laurel Street to Walnut Avenue) Underground Utility District to encompass certain additional properties, a copy of the proposed and revised district boundaries are more

particularly shown on the revised Drawing No. 22435-D entitled Fourth Avenue (Laurel Street to Walnut Avenue) Underground Utility District, copies of which are on file in the office of the City Clerk as Document No. RR- 267531; and

WHEREAS, this action is exempt from the provisions of the California Environmental Quality Act of 1970 under City guidelines for implementation of said Act, as amended; NOW, THEREFORE,

BE IT RESOLVED, by the Council of the City of San Diego, as follows:

- 1. Notice is hereby given that a public hearing will be held by the Council of The City of San Diego on February 24 , at the hour of 10:00 a.m. in the Council Chambers of the City Administration Building, 202 C Street, San Diego, California, to determine whether the public health, safety or general welfare requires the removal of poles, overhead wires and associated overhead structures and the underground installation of wires and facilities for supplying electric, communication, community antenna television or similar or associated service in the area to be added to the District as has been described above.
- 2. At such hearing all persons interested shall be given an opportunity to be heard and said hearing may be continued from time to time as may be determined by the City Council. The decision of the City Council as to the revision of the District as described above shall be final and conclusive.
- The City Clerk shall notify all persons within the additional areas as defined in Chapter VI, Article 1, Division 5

of the San Diego Municipal Code and each utility company concerned of the time and place of the hearing by following the procedure set forth in Chapter VI, Article 1, Division 5 of the San Diego Municipal Code.

APPROVED: John W. Witt, City Attorney

John K. Riess

Deputy City Attorney

JKR:mrh:460 01/07/87 Or.Dept:E&D R-87-1345 Form=r.ucal

Passed and adopted by the Council of The by the following vote:	City of San Diego on	JAN 2619	987
Council Members Abbe Wolfsheimer Bill Cleator Gloria McColl William Jones Ed Struiksma Mike Gotch Judy McCarty Celia Ballesteros Mayor Maureen O'Connor	Yeas P	Nays Not Present	Ineligible
AUTHENTICATED BY: (Seal)		MAUREEN O' Mayor of The City of San CHARLES G. Al City Clerk of The City of S	Diego, California. BDELNOUR an Diego, California.
	Office of the	he City Clerk, San Diego	o, California
	Resolution 267	'531 Adopted	JAN 26 1987

CC-1276 (Rev. 12-86)