

RESOLUTION NUMBER R- 295900

ADOPTED ON JAN 08 2002


BE IT RESOLVED, by the Council of the City of San Diego, that it is hereby certified that Mitigated Negative Declaration LDR No. 40-0883, on file in the office of the City Clerk, has been completed in compliance with the California Environmental Quality Act of 1970 (California Public Resources Code section 21000 et seq.), as amended, and the State guidelines thereto (California Code of Regulations section 15000 et seq.), that the declaration reflects the independent judgment of the City of San Diego as Lead Agency and that the information contained in the report, together with any comments received during the public review process, has been reviewed and considered by this Council in connection with the approval of Construction of North Encanto Water Improvements.

BE IT FURTHER RESOLVED, that the Council finds that project revisions now mitigate potentially significant effects on the environment previously identified in the Initial Study and therefore, that said LDR No. 40-0883 Mitigated Negative Declaration, a copy of which is on file in the office of the City Clerk and incorporated by reference, is hereby approved.

BE IT FURTHER RESOLVED, that pursuant to California Public Resources Code section 21081.6, the Council hereby adopts the Mitigation Monitoring and Reporting Program, or alterations to implement the changes to the project as required by this body in order to mitigate or avoid significant effects on the environment, a copy of which is attached hereto as Exhibit A and incorporated herein by this reference.

BE IT FURTHER RESOLVED, that the City Clerk is directed to file a Notice of Determination (NOD) with the Clerk of the Board of Supervisors for the County of San Diego regarding the above project.

APPROVED: CASEY GWINN, City Attorney

By   
Lori W. Girard, Deputy

LWG:fr:pev  
12/17/01  
Or.Dept:E&CP  
R-2001-833  
Form=mandr.frm

EXHIBIT A

MITIGATION MONITORING AND REPORTING PROGRAM

CONDITIONS OF PROJECT APPROVAL

LDR NO. 40-0883

This Mitigation Monitoring and Reporting Program is designed to ensure compliance with Public Resources Code Section 21081.6 during implementation of mitigation measures. This program identifies at a minimum: the department responsible for the monitoring, what is to be monitored, how the monitoring shall be accomplished, the monitoring and reporting schedule, and completion requirements. A record of the Mitigation Monitoring and Reporting Program will be maintained at the offices of the Land Development Review Division, 1222 First Avenue, Fifth Floor, San Diego, CA 92101. All mitigation measures contained in the Mitigated Negative Declaration shall be made conditions of LDR No. 40-0883 as may be further described below.

MITIGATION, MONITORING AND REPORTING PROGRAM:

The following mitigation measures are required to reduce potential adverse project impacts to Historical Resources to below a level of significance.

**Historical Resources**

1. Prior to the preconstruction meeting, the Engineering and Capital Projects Department Project Manager shall provide a letter of verification to the Environmental Review Manager of Land Development Review (LDR) stating that a qualified archaeologist and/or archaeological monitor as defined in the City of San Diego Historical Resources Guidelines, has been retained to implement the archaeological monitoring program. The requirement for archaeological monitoring shall be noted on the design plans. **ALL PERSONS INVOLVED IN THE ARCHAEOLOGICAL MONITORING OF THIS PROJECT SHALL BE APPROVED BY LDR PRIOR TO THE START AND END OF CONSTRUCTION.**
  - a. The qualified archaeologist shall attend any preconstruction meetings to make comments and/or suggestions concerning the archaeological monitoring program with the construction manager.
  - b. The qualified archaeologist or archaeological monitor shall be present on-site full-time during construction activities involving only **NEW AND/OR DEEPER EXCAVATION** work in previously undisturbed soils. This would include the following sheets (Drawing No. 30740-D). **Station numbers are approximate and are subject to change:**
    - I. Sheet 04: Sta. 14+00 to Sta. 21+00
    - II. Sheet 05: Sta. 21+00 to Sta. 25+00
    - III. Sheet 06: Sta. 5+35 to Sta. 1+00

- IV. Sheet 07: Sta. 25+00 to Sta. 31+00
- V. Sheet 08: Sta. 31+00 to Sta. 36+00
- VI. Sheet 09: Sta. 1+00 to Sta. 4+50
- VII. Sheet 10: Sta. 0+00 to Sta. 5+60 (all sections of new piping)
- VIII. Sheet 11: Sta. 0+00 to Sta. 2+00 (all sections of new piping)

- c. **WHEN REQUESTED BY THE ARCHAEOLOGIST, THE CITY RESIDENT ENGINEER SHALL DIVERT, DIRECT, OR TEMPORARILY HALT GROUND DISTURBANCE ACTIVITIES IN THE AREA OF DISCOVERY TO ALLOW EVALUATION OF POTENTIALLY SIGNIFICANT CULTURAL RESOURCES. THE ARCHAEOLOGIST AND RESIDENT ENGINEER SHALL IMMEDIATELY NOTIFY LDR STAFF OF SUCH FINDING AT THE TIME OF DISCOVERY.** The significance of the discovered resources shall be determined by the archaeologist, in consultation with LDR and the Native American community. LDR must concur with the evaluation before grading activities will be allowed to resume. For significant historical resources, a Research Design and Data Recovery Program shall be prepared and carried out to mitigate impacts before grading activities in the area of discovery will be allowed to resume. Any human bones of Native American origin shall be turned over to the appropriate Native American group for reburial.
- d. All historical materials collected shall be cleaned, catalogued, and permanently curated with an appropriate institution. All artifacts shall be analyzed to identify function and chronology as they relate to the history of the area. Faunal material shall be identified as to species and specialty studies shall be completed, as appropriate. Additionally, any sites or features encountered shall be recorded with the South Coastal Information Center at San Diego State University and with the San Diego Museum of Man.
- e. Within three months following completion of grading, a monitoring results report and/or evaluation report, if appropriate, which describes the results analysis, and conclusions of the archaeological monitoring program (with appropriate graphics) shall be submitted to and approved by the Environmental Review Manager of LDR. For significant cultural resources, a Research Design and Data Recovery Program shall be included as part of the evaluation report. A mitigation report for significant cultural resources, if required, shall be submitted to and approved by the Environmental Review Manager of LDR prior to the issuance of the Notice of Completion.