

~~(R-2002-1296)~~

(R-2003-1296) COR.COPY


RESOLUTION NUMBER R- 298187

ADOPTED ON JUL 14 2003

BE IT RESOLVED, by the Council of the City of San Diego, that it is certified that the Addendum to an Environmental Impact Report [EIR], LDR No. 40-0385 (Addendum to EIR No. 88-0459, SCH No. 92121051), on file in the office of the City Clerk, has been completed in compliance with the California Environmental Quality Act of 1970 (California Public Resources Code section 21000 et seq.), as amended, and the State guidelines thereto (California Code of Regulations section 15000 et seq.), that the Addendum reflects the independent judgment of the City of San Diego as Lead Agency and that the information contained in said Addendum, together with any comments received during the public review process, has been reviewed and considered by this Council in connection with the approval of the construction of the Alvarado Water Treatment Plant Upgrade and Expansion - Phase II.

BE IT FURTHER RESOLVED, that the City Clerk is directed to file a Notice of Determination [NOD] with the Clerk of the Board of Supervisors for the County of San Diego regarding the above project.

APPROVED: CASEY GWINN, City Attorney

By 
Lori W. Girard
Deputy City Attorney

LWG:lc

06/03/03

06/19/03 COR.COPY

Or.Dept:Water/CIP

R-2003-1296

Form=eirl.frm