

PLANNING COMMISSION  
RESOLUTION NO. 4122-PC  
COMMUNITY PLAN AMENDMENT  
UNIVERSITY COMMUNITY PLAN


WHEREAS, on March 21, 2006, the Council of the City of San Diego initiated an amendment to the University Community Plan and directed the Planning Department to prepare an amendment to add language to the Public Facilities Element; and

WHEREAS, the amendment would identify the need for additional fire stations in the community to assure adequate response to the population; and

WHEREAS, the Planning Department has prepared an amendment to identify the need for all public safety related facilities (e.g. police, fire and medical) to assure adequate response to the population; NOW, THEREFORE,

BE IT RESOLVED, by the Planning Commission of the City of San Diego, that the commission recommends approval to the Council of the City of San Diego of an amendment to the University Community Plan which adds language identifying the need to provide additional public safety related facilities to serve existing development and as development occurs to assure adequate response to the population; and

BE IT FURTHER RESOLVED, that this activity will not result in a direct or reasonably foreseeable indirect physical change in the environment and is therefore not subject to CEQA pursuant to State CEQA Guidelines Section 15060(c)(2).



Dan Monroe  
Associate Planner  
City Planning & Community Investment

Approved on August 10, 2006  
Vote: 6-0-0

Job Order No. 4156

cc. Legislative Recorder, Development Services Department